



delica[®]
DECORATIVE PANELS

Delight

DELIGHT

VOL/3

Elevate Your Imagination



1.5 MM ANTISCRATCH ACRYLIC LAMINATE

A hand holding a glowing sphere. The hand is a light beige color, possibly made of clay or a similar material, and is positioned on the left side of the frame. The fingers are slightly curled, and the thumb is pointing towards the center. The sphere is dark brown or black, with a bright, glowing yellow-orange light source inside, creating a lens flare effect. The background is a light blue gradient with a subtle pattern of thin, parallel lines.

WHO WE ARE

Welcome to DELICA., your trusted partner in high-quality laminate solutions. Established in 1999, we are a leading manufacturer and supplier of top-notch laminates that cater to a wide range of industries and applications. With a commitment to excellence and innovation, we have been providing premium laminates that enhance the aesthetics and functionality of various surfaces.

OUR VISION

At DELICA., our vision is to be the preferred choice for laminates globally. We strive to set new standards in the industry by continuously pushing the boundaries of design, technology, and sustainability. Through our products, we aim to inspire creativity and transform spaces into captivating and functional environments.

OUR MISSION

Driven by a passion for perfection, our mission is to deliver laminates of the highest quality that meet the diverse needs of our customers. We focus on research and development to create innovative solutions that align with the latest trends and market demands. Our aim is to forge lasting partnerships with our clients, based on trust, reliability, and exceptional customer service.

Delight

APPLICATION

Available in Size

2440mm X 1220mm (8ft X 4ft)

Thickness : same as sample use in brochure



Kitchen



Furniture



Bathroom



Commercial



Healthcare



Restaurants

FEATURES



ANTI
SCRATCH

Treated with a special lacquer coating on the surface, our 6h anti scratch acrylic laminates can bear daily wear & tear.



ANTI
YELLOW

Anti-Yellow UV Resistance.



100% PURE
ACRYLIC

100% Pure Acrylic Sheet



TERMITE &
BORER FREE

Our laminate are specially treated to ensure they remain termite and borer free for several years.



WIDE
RANGE

Lots of Range and Huge Collection.



WATER
PROOF

Low porosity low water absorption.



LIGHT
WEIGHT

For ease of use and Effortless installation, our Range of laminates have been developed in A way to keep them extremely light weight.



HIGHLY
DURABILITY
& STRENGTH

Our Anti Scratch Acrylic Laminates are Extremely sturdy and Durable. They can with steady heavy loads easily.



COLOUR
FASTENING

The laminate of the product lasts for years without fading or loss of gloss, maintaining color fastness



6H

ANTISCRATCH


SELF ADHESIVE

MIRROR GENERATION



DL - 5401 ✪✪

GREY




DL - 5402 ✪✪

SILVER



DL - 5403 ✪✪

COPPER



DL - 5404 ✪✪

GOLD



APPLICATION METHOD

- Surface of Plywood /MDF must be dust free to use self adhesive mirror Acrylic sheet.
- For Better result It is advise to stick on matte finish surface laminate

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.





6H

ANTISCRATCH



ARTICULATE
finesse
IF VIVACITY

This range of extravaganza creates an ambience of charismatic reign that's for you to splash.



Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

DL - 6201 ★★

Scan QR Code
For Full Sheet View



DL - 6202 ★★

Scan QR Code
For Full Sheet View



There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.





DELIGHT

1.5 MM ANTISCRATCH ACRYLIC LAMINATE

MARBLE GENERATION

delica[®]
DECORATIVE PANELS



DL - 6206 ✪✪

Scan QR Code
For Full Sheet View



DL - 6204 ✪✪

Scan QR Code
For Full Sheet View



DAZZLE
IN
dignified
FLAIR

The prestige of an elite effervescence of phenomenal form flaunts designs of the modern ethos.



05
-
06

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



6H
ANTISCRATCH



SOPHISTICATED
reign
OF PANACHE

This is the range of supreme designs that create interfaces of fine form and mastery



Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

DL - 6205 ★★

Scan QR Code
For Full Sheet View





6H
ANTISCRATCH



Scan QR Code
For Full Sheet View



DL - 6211 ✪✪



Scan QR Code
For Full Sheet View



DL - 6212 ✪✪

Sheet size : 1220mm x 2440mm (4ft x 8 ft)

ECSTATIC *Feel*
OF INVENTIVENESS

Enamor your soul to the best designs
that are created to make you feel
grandiose

WOODEN GENERATION





6H
ANTISCRATCH



Scan QR Code
For Full Sheet View



DL - 6213 ❄️❄️

GLORIOUS
aplomb
OF ECSTASY

Do away with ordinary designs, give way to a mode of modish desires that look stunning.



Scan QR Code
For Full Sheet View



DL - 6214 ❄️❄️

WOODEN GENERATION



Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.






6H
ANTISCRATCH



Scan QR Code
For Full Sheet View



DL - 6215 ❄️❄️

THE PLUSH *Feel*
DOMINATES

Feel a range that has authenticity to the core and creates spectacular splendor



Scan QR Code
For Full Sheet View



DL - 6216 ❄️❄️

WOODEN GENERATION



Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.





6H
ANTISCRATCH



Scan QR Code
For Full Sheet View

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)



WOODEN GENERATION

DL - 6217 ❄️❄️

MODISH
designs
THAT ALLURE

Welcome to a world of classy collection that has been curated to give you a feel of richness and sleek demeanor.



There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.






6H
ANTISCRATCH


SOFT TOUCH GENERATION




DL - 6301



DL - 6302




DL - 6303




DL - 6304



DL - 6305



DL - 6306



DL - 6307



DL - 6308

Sheet size : 1220mm x 2440mm (4ft x 8 ft)






6H

ANTISCRATCH


SPARKLE GENERATION



DL - 6101 ✦



DL - 6104 ✦



DL - 6108 ✦



DL - 6103 ✦


Sheet size : 1220mm x 2440mm (4ft x 8 ft)





6H
ANTISCRATCH


SPARKLE GENERATION




DL - 6102 ✦



DL - 6115 ✦



DL - 6113 ✦



DL - 6105 ✦

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)






6H
ANTISCRATCH


SPARKLE GENERATION



DL - 6106 ✦



DL - 6109 ✦



DL - 6107 ✦



DL - 6116 ✦

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)






6H
ANTISCRATCH

SPARKLE GENERATION




DL - 6111 ✦



DL - 6114 ✦



DL - 6110 ✦



DL - 6112 ✦

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)




There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.





6H
ANTISCRATCH

SOLID GENERATION



DL - 6014

DL - 6015

DL - 6020

DL - 6016

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)






6H

ANTISCRATCH


SOLID GENERATION



DL - 6022



DL - 6021



DL - 6026



DL - 6027


Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.





SOLID GENERATION




DL - 6003



DL - 6028



DL - 6017



DL - 6029

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)


There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.






6H
ANTISCRATCH


SOLID GENERATION



DL - 6004



DL - 6009



DL - 6006



DL - 6007

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)


There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.






6H
ANTISCRATCH


SOLID GENERATION



DL - 6001



DL - 6002



DL - 6005




DL - 6008

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.







SOLID GENERATION




DL - 6013



DL - 6010



DL - 6011




DL - 6012

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.






75mm X 170mm

DL - 6019


SOLID GENERATION




DL - 6018



DL - 6025



DL - 6023





DL - 6024

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)



| Parameters | DELICA Acrylic Laminate | High Gloss Laminate Mica | PU Coating / Duco Paint | Back Painted Glass |
|-----------------------------------|-------------------------|--------------------------|-------------------------|--------------------|
| Gloss Level | >90 | >70 | >85 | >85 |
| Scratch Proof | 6H Antisractch | No | No | No |
| Color Consistency | Excellent | Not Good | Not Good | Not Good |
| Orange Peel | No | Yes | Yes | Yes |
| UV Resistance | Excellent | Bad | Bad | Bad |
| Water Resistance | Excellent | Bad | Bad | Excellent |
| DRY Heat Resistance | Excellent | Good | Bad | Bad |
| Volatile Organic Compounds (VOCs) | No | Yes | Yes | Yes |


PANEL STRUCTURE



STAY TUNED WITH US FOR




Reasons for air bubble formations on acrylic sheets



To avoid de lamination / air bubbles in between ply and laminate the below steps should be taken care of. Bonding of acrylic sheets shouldn't be completed under high humidity




Acrylic are bonded in extremely humid conditions



Debonding in certain areas because of uneven substrate surface



Use of water base synthetic resin adhesive any other than PEVA (Polyethylene Vinyl Acetate Co-polymer)



Insufficient or lack of pressing during the bonding period of laminate



When substrate loses moisture after installation



Use of extremely large acrylic/PVC laminate sheets (more than 8 ft x 2 ft long)

Disclaimer

Do not use plywood with high moisture content, Do not use ply with uneven surface, Avoid using inferior quality adhesive, Apply sufficient pressure We do not recommend pasting of sheets on the printed/branding area of the plywood

Do's & don't's

1. Store the laminates below 30°C temperature. To avoid the inside cracks & stretch line, do not store acrylic sheet in roll form.
2. Clean the surface of laminate with water and using non-abrasive cloth. We recommend cleaning with COLIN glass cleaner and soft Micro fibre cloth.
3. Glossy surfaces recommended to use in vertical applications.
4. Do not use alcohol based cleaners, solvent, petrol or oil as these may damage the surface of the laminate. Do not use cloth other than micro fibre.
5. Do not use thinner on the surface of DELICA laminates.
6. Do not place hot cookware directly on the laminate as the exposure to temperatures above 30°C may cause damage to the laminate surface.
7. Outdoor application of the laminate with exposure to direct sunlight and weather conditions are strictly not recommended. UV rays may de-shape the laminate.

Limited warranty

DELICA Products are tested to be reasonably free of defects, and when used and fabricated properly they will comply with the applicable manufacturing specifications within realistic deviations. we recommend customers to inspect properly before installing.

- Improper handling / transportation / storage of DELICA
- Improper installation of DELICA
- Improper or unintended usage of DELICA
- Lack of or improper maintenance of DELICA
- Exposure to high temperatures
- Unauthorized alteration to the products Outdoor applications
- There will be no guarantee or exchange under any circumstances
- Color variations in products from different batches are possible
- We recommend using products from same batch to avoid color variations
- This brochure is for presentation purposes only. Actual colors may differ.

delica[®]

DECORATIVE PANELS

OUR PRODUCT RANGE

PAPER LAMINATE
(HPL)

PVC
LAMINATES

ACRYLIC
LAMINATE

DECORATIVE
VENEERS

LOUVERS

CHARCOAL

S.S PROFILES

PAINTABLE
MOULDINGS

ARTIFICIAL
GLASS

EDGE BEND
TAPE

📍 **OFFICE:** NEW TOWN SQUARE, UNIT 3A, ATHGHORA, RAJARHAT,
NEAR CHINAR PARK CROSSING, KOLKATA - 700136

📍 **BRANCH:** KOLKATA, DELHI, BENGALURU, GUWAHATI, VIJAYAWADA,
VARANASI, BHUBANESWAR, JAIPUR, RANCHI.

🌐 www.saiply.com ✉ enquiry@saiply.com

☎ 033-4065 3300 • 4067 3301

Marketed by



Sai Ply Pvt Ltd.